LEGEND
P = PREFERRED
V = VALIDATED

VEHICLES
R = ROADABLE
N = NON ROADABLE

UNCLASSIFIED

DA STANDARD CHARACTERISTICS FOR ARMY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	COMP	VEHICLE	TYPE EQUIP	(-LIN DESCRIPTION--> (---MODEL----) (-COMPO DESCRIPTION-)	SHIP COMP	NO PCS	(---------(FOR ONE ITEM)---------) DIMENSIONS (----(INCHES)-----) LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	(----------(REMARKS)----------)	CGO VEH LD LIMITS WEIGHT HGT TOE	CUBE LIN INDEX	NO)	(C=AF CERTIFIED) (X=JCS CRITERIA) (--------CGO LOAD IND-------) (AMC) (CRAF) CCCCKK 1115CC 347 11 01 03 5	DDBB CC77 8144 077 SN	CTN 20 FT	CTN 40 FT	4 6 3 L	CCCH
A02812					AUGER EARTH BOOM MTD			TM 5-2590-512-13&P														
PV 01	2590013846857			U	HYDRAULIC	I		72	10	72	110	30					CCCCC	XXXX	Y	Y	Y	J3BA
A09153					AVENGER UT MAINT SET			TN 9-4935-432-24														
PV 01	1430013695863			U	DS MA1	M		87	79	70	898	279					CCCCC	XXXX	Y	Y	Y	J3BA
A21633					AERIAL SCOUT HLCPTR			TN 55-1520-248-23P														
PV 01	1520011255476		N	H	OH-58D	B		495	420	155	3427	18649							N	N	N	BCDH
PV 03	1520011255476		N	K	OH-58D	F		408	74	106	3110	1852					CCCC		N	N	N	B1DA
V 04	1520011255476A			U	LANDING SKIDS	I	1	97	81	14	25	63				(03)	CCCCCC	CCCC	Y	Y	Y	J3BA
V 05	1520011255476A			U	MAST MTD SIGHT	I	1	58	39	45	200	58				(03)	CCCCCC	CCCC	Y	Y	Y	J3BA
V 06	1520011255476A			U	HORIZONTAL STAB	I	1	94	20	3	15	3				(03)	CCCCCC	CCCC	Y	Y	Y	J3BA
V 07	1520011255476A			U	LWR WIRE CUTTER	I	1	18	9	2	2	1				(03)	CCCCCC	CCCC	Y	Y	Y	J3BA
V 08	1520011255476A			U	SUPPORT JACKS	I	3	22	22	22	25	6				(03)	CCCCCC	CCCC	Y	Y	Y	J3BA
	REMARKS			U	SUPPORT JACK	I		MTD ON MOBILIZER										(COMPONENT INDEX 08)				
	REMARKS			U	SUPPORT JACK	I		SKIDS AND MAST SIGHT REMOVED										(COMPONENT INDEX 08)				
11	1520011255476		N	K	OH-58D	S		408	74	115	3110	2010					CC		N	N	N	B1DA
	REMARKS			K	OH-58D	S		MTD ON MOBILIZER										(DETAIL INDEX 11)				
	REMARKS			K	OH-58D	S		FOR AALPS PLANNING PURPOSES ONLY										(DETAIL INDEX 11)				
12	1520011255476B			U	LANDING SKIDS	I	1	97	81	14	25	63				(11)	CCCCCC	CCCC	Y	Y	Y	J3BA
13	1520011255476B			U	HORIZONTAL STAB	I	1	94	20	3	15	3				(11)	CCCCCC	CCCC	Y	Y	Y	J3BA
14	1520011255476B			U	LWR WIRE CUTTER	I	1	18	9	2	2	1				(11)	CCCCCC	CCCC	Y	Y	Y	J3BA
15	1520011255476B			U	SUPPORT JACKS	I	3	22	22	22	25	6				(11)	CCCCCC	CCCC	Y	Y	Y	J3BA
31	1520011255476		N	K	OH-58D	BA		408	74	115	3110	2010					CC		N	N	N	B1DA
	REMARKS			K	OH-58D	BA		FOR AALPS PLANNING PURPOSES ONLY										(DETAIL INDEX 31)				
32	1520011255476C			U	LANDING SKIDS	I	1	97	81	14	25	63				(31)	CCCCCC	CCCC	Y	Y	Y	J3BA
33	1520011255476C			U	HORIZONTAL STAB	I	1	94	20	3	15	3				(31)	CCCCCC	CCCC	Y	Y	Y	J3BA
34	1520011255476C			U	LWR WIRE CUTTER	I	1	18	9	2	2	1				(31)	CCCCCC	CCCC	Y	Y	Y	J3BA
35	1520011255476C			U	SUPPORT JACKS	I	3	22	22	22	25	6				(31)	CCCCCC	CCCC	Y	Y	Y	J3BA
51	1520011255476		N	K	OH-58D	Q		408	74	106	3110	1852					CCCC		N	N	N	B1DA
	REMARKS			K	OH-58D	Q		FOR AALPS PLANNING PURPOSES ONLY										(DETAIL INDEX 51)				
52	1520011255476D			U	LANDING SKIDS	I	1	97	81	14	25	63				(51)	CCCCCC	CCCC	Y	Y	Y	J3BA
53	1520011255476D			U	MAST MTD SIGHT	I	1	58	39	45	200	58				(51)	CCCCCC	CCCC	Y	Y	Y	J3BA
54	1520011255476D			U	HORIZONTAL STAB	I	1	94	20	3	15	3				(51)	CCCCCC	CCCC	Y	Y	Y	J3BA
55	1520011255476D			U	LWR WIRE CUTTER	I	1	18	9	2	2	1				(51)	CCCCCC	CCCC	Y	Y	Y	J3BA
56	1520011255476D			U	SUPPORT JACK	I	3	22	22	22	25	6				(51)	CCCCCC	CCCC	Y	Y	Y	J3BA
V 82	1520011255476		N	K	OH-58D	9B		406	78	155	3188	2841					X		N	N	N	B1DA
	REMARKS			K	OH-58D	9B		FOLD ROTOR BLADES										(DETAIL INDEX 82)				

UNCLASSIFIED

LEGEND VEHICLES

P = PREFERRED R = ROADABLE

V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

DA STANDARD CHARACTERISTICS FOR ARMY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	COMP	VEHICLE	TYPE EQPT	(-LIN DESCRIPTION--> (---MODEL----) (-COMPO DESCRIPTION-)	SHIP CONF	NO PCS	(---------(FOR ONE ITEM)---------) DIMENSIONS (----(INCHES)-----) LENGTH WIDTH HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT TOE	CUBE LIN (INDEX NO)	(C=AF CERTIFIED) (X=JCS CRITERIA) (--------CGO LOAD IND-------> (AMC) (CRAF) CCCCKK 1115CC 347 11 01 03 5	DDBB CC77 8144 077 SN	CTN 20 FT	CTN 40 FT	4 6 3 L	CCCH
								(----------(REMARKS)----------)										
FM0006					CHEVEROLET SEDAN			NONE										
P 01	0000000000000		R	2	LUMINA-94	D		199 81 54	3300	504			XXCXC	X X	Y	Y	N	R2BA
	REMARKS			2	LUMINA-94	D		DISASTER RELIEF ITEM										(DETAIL INDEX 01)
FM0007					DODGE 8 PAX VAN			NONE										
P 01	0000000000000		R	3	RAM-250-91	D		199 81 68	5100	635			XXCXC	X X	Y	Y	N	R2BA
	REMARKS			3	RAM-250-91	D		DISASTER RELIEF ITEM										(DETAIL INDEX 01)
FM0009					RED TAT BAGGAGE			NONE				1500						
PV 01	3990008924394			T	NONE	2		40 48 6	65	7			CCCCCC	CCCC	Y	Y	Y	J3BA
PV 02	3990008924394			T	4 ITEMS	2		40 48 17	365	19			CCCCCC	CCCC	Y	Y	Y	J3BA
PV 03	3990008924394			T	8 ITEMS	2		40 48 29	665	33			CCCCCC	CCCC	Y	Y	Y	J3BA
PV 04	3990008924394			T	12 ITEMS	2		40 48 41	965	46			CCCCCC	CCCC	Y	Y	Y	J3BA
PV 05	3990008924394			T	16 ITEMS	2		40 48 53	1265	59			CCCCC	XXXX	Y	Y	Y	J3BA
	REMARKS			T	16 ITEMS	2		EQUIP LOADED ON WHSE PALLETS										(DETAIL INDEX 05)
	REMARKS			T	16 ITEMS	2		LOADED IN 300 LB INCREMENTS										(DETAIL INDEX 05)
	REMARKS			T	16 ITEMS	2		EMERGENCY DISASTER ITEM										(DETAIL INDEX 05)
	REMARKS			T	16 ITEMS	2		NSN NOT LISTED SB 700-20										(DETAIL INDEX 05)
FM0010					REFRIGERATOR TRAILER			NONE										
PV 01	0000000000000		R	7	28-FT COMM	D		337 102 160	19310	3183					N	N	N	RODB
	REMARKS			7	28-FT COMM	D		VEHICLE FOR EMERGENCY DISASTER TEAM										(DETAIL INDEX 01)
FM0011					EMERGENCY OPERATIONS			NONE										
PV 01	0000000000000		R	7	40-FT COMM	D		575 102 153	39810	5193			X		N	N	N	R1DK
	REMARKS			7	40-FT COMM	D		VEHICLE FOR EMERGENCY DISASTER TEAM										(DETAIL INDEX 01)
FM0012					CHEVY SEDAN			NONE										
PV 01	0000000000000		R	2	CORSICA-96	D		176 78 56	2780	445			XXCXC	X X	Y	Y	N	R2BA
	REMARKS			2	CORSICA-96	D		DISASTER RELIEF ITEM										(DETAIL INDEX 01)
FM0013					DODGE SEDAN			NONE										
PV 01	0000000000000		R	2	STRATUS-96	D		182 79 54	3120	450			XXCXC	X X	Y	Y	N	R2BA
	REMARKS			2	STRATUS-96	D		DISASTER RELIEF ITEM										(DETAIL INDEX 01)
FM0014					FORD 7 PASSENGER VAN			NONE										
PV 01	0000000000000		R	3	CLUB WAGON-9	D		211 80 79	5440	772			XXCX		X Y	Y	N	R2BA
	REMARKS			3	CLUB WAGON-9	D		DISASTER RELIEF ITEM										(DETAIL INDEX 01)

UNCLASSIFIED

LEGEND VEHICLES
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

DA STANDARD CHARACTERISTICS FOR ARMY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	COMP	VEHICLE	TYPE EQPT	<-LIN DESCRIPTION--> <---MODEL----> <-COMPO DESCRIPTION->	SHIP CONF	NO PCS	<---------(FOR ONE ITEM)---------> DIMENSIONS <----(INCHES)-----> LENGTH WIDTH HEIGHT	WEIGHT (LB)	CUBE (CU FT)	<----------(REMARKS)---------->	CGO VEH LD LIMITS WEIGHT HGT TOE (INDEX	CUBE LIN NO)	(C=AF CERTIFIED) (X=JCS CRITERIA) <--------CGO LOAD IND-------> (AMC) (CRAF) CCCCKK DDBB CTN CTN 4 CCCH 1115CC CC77 20 40 6 347 11 8144 FT FT 3 01 03 077 L 5 SN
T61239					TRK TRACTOR: MTV W/EQ			NONE						
V 02	2320013554332		R	4	M1088 WOWN	C		282 96 106	20393	1661				CCCC N N N R1DC
V 14	2320013554332		R	4	M1088 WOWN	9		282 96 106	20393	1661				CCCC N N N R1DC
V 15	2320013554332		R	4	M1088 WOWN	9E		282 96 112	20393	1755				CC N N N R1DC
PV 16	2320014473893		R	4	M1088A1 WOWN	B		284 96 112	20423	1768				CC N N N R1DC
PV 17	2320014473893		R	4	M1088A1 WOWN	C		284 96 106	20423	1673				CCCC N N N R1DC
V 18	2320014473893		R	4	M1088A1 WOWN	9		284 96 106	20423	1673				CCCC N N N R1DC
V 19	2320014473893		R	4	M1088A1 WOWN	9E		284 96 112	20423	1768				CC N N N R1DC
T61307					TRK TRACTOR MTV W/EQP			TM 9-2320-366-10						
V 01	2320013601892		R	4	M1088 WWN	B		282 96 112	21184	1755				CC N N N R1DC
V 02	2320013601892		R	4	M1088 WWN	C		282 96 106	21184	1661				CCCC N N N R1DC
V 13	2320013601892		R	4	M1088 WWN	9		282 96 106	21184	1661				CCCC N N N R1DC
V 14	2320013601892		R	4	M1088 WWN	9E		282 96 112	21184	1755				CC N N N R1DC
PV 15	2320014473900		R	4	M1088A1 WWN	B		284 96 112	21400	1768				CC N N N R1DC
PV 16	2320014473900		R	4	M1088A1 WWN	C		284 96 106	21400	1673				CCCC N N N R1DC
V 17	2320014473900		R	4	M1088A1 WWN	9		284 96 106	21400	1673				CCCC N N N R1DC
V 18	2320014473900		R	4	M1088A1 WWN	9E		284 96 112	21400	1768				CC N N N R1DC
T61494					TRK UTIL CRG/TRP CARR			TM 9-2320-280-10				2500		
V 01	2320011077155		R	3	M998	B		187 96 74	5280	769		74	79	CCCC CCC N N N R2DA
V 02	2320011077155		R	3	M998T	B		190 96 96	5800	1014		96	104	CCCC C N N N R2DA
V 03	2320011077155		R	3	M998T	C		190 84 96	5800	887		96	104	CCCC C N N N R2DA
	REMARKS			3	M998T	C		INCLUDES (B) PILLARS						(DETAIL INDEX 03)
V 04	2320011077155		R	3	M998	C		187 84 53	5280	482		53	51	CCCCC CCC Y Y N R2BA
	REMARKS			3	M998	C		FUEL CAPACITY 24.5 GAL DIESEL						(DETAIL INDEX 04)
	REMARKS			3	M998	C		SEC LIN FOR C90531, R14284, & YA0468 - DO NOT						DELETE (DETAIL INDEX 04)
V 13	2320011077155		R	3	M998T	D		194 96 96	5800	1035		96	104	CCCC CCC N N N R2DA
	REMARKS			3	M998T	D		INCLUDES BRUSH GUARD KIT & (B) PILLARS						(DETAIL INDEX 13)
15	2320011077155		R	3	M998	G		187 96 94	5880	977		94	155	CCCC N N N R2DA
	REMARKS			3	M998	G		MODIFIED W/SHELTER KIT PER 10TH MTN DIV						(DETAIL INDEX 15)
29	2320011077155			V	M998	5		215 108 87	10500	1169				CCC N N N J2DB
	REMARKS			V	M998	5		RIGGED F/LOW VELOCITY AIRDROP						(DETAIL INDEX 29)
	REMARKS			V	M998	5		INCLUDES ACCOMPANYING LOAD						(DETAIL INDEX 29)
	REMARKS			V	M998	5		F/AALPS PLANNING PURPOSES ONLY						(DETAIL INDEX 29)
V 47	2320011077155		R	3	M998	9		187 84 53	5280	482		53	51	CCCCC CCC Y Y N R2BA

UNCLASSIFIED

LEGEND VEHICLES
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

DA STANDARD CHARACTERISTICS FOR ARMY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	COMP	VEHICLE	TYPE EQUIPT	<-LIN DESCRIPTION--> <---MODEL----> <-COMPO DESCRIPTION->	SHIP CONF	NO PCS	<---------(FOR ONE ITEM)---------> DIMENSIONS <----(INCHES)-----> LENGTH WIDTH HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT TOE INDEX	CUBE LIN NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <--------CGO LOAD IND-------> <AMC > <CRAF> CCCCKK 1115CC 347 11 01 03 5	DDBB CC77 8144 077 SN	CTN 20 FT	CTN 40 FT	4 6 3 L	CCCH
X39447					TRK CGO TAC 1-1/4-TON			TM 9-2320-266-10			2500							
	REMARKS			3	M882	C		W/60 AMP & COMM KIT										(DETAIL INDEX 02)
	REMARKS			3	M882	C		FUEL TANK CAP 20 GAL GAS										(DETAIL INDEX 02)
V 15	2320005798957		R	3	M882	9E		219 92 74	4920	863	74	167	CCCC	CCC	N	N	N	R2DA
V 17	2320005798957		R	3	M882	9		219 82 74	4920	769	74	167	CCCC	CCC	Y	Y	N	R2BA
X39450					TRK CGO TAC 1-1/4-TON			TM 9-2320-266-10			2500							
PV 01	2320005798959		R	3	M883	B		219 92 74	4868	863	74	167	CCCC	CCC	N	N	N	R2DA
PV 02	2320005798959		R	3	M883	C		219 80 74	4868	751	74	167	CCCC	CCC	Y	Y	N	R2BA
	REMARKS			3	M883	C		W/60 AMP & COMM SHELTER TIEDOWN KIT										(DETAIL INDEX 02)
	REMARKS			3	M883	C		FUEL CAPACITY 20 GAL MOGAS										(DETAIL INDEX 02)
V 15	2320005798959		R	3	M883	9E		219 92 74	4868	863	74	167	CCCC	CCC	N	N	N	R2DA
V 17	2320005798959		R	3	M883	9		219 80 74	4868	751	74	167	CCCC	CCC	Y	Y	N	R2BA
X39453					TRK CGO TAC 1-1/4-TON			TM 9-2320-266-10			2500							
PV 01	2320005798985		R	3	M884	B		219 92 74	4970	863	74	167	CCCC	CCC	N	N	N	R2DA
PV 02	2320005798985		R	3	M884	C		219 80 74	4970	751	74	167	CCCC	CCC	Y	Y	N	R2BA
	REMARKS			3	M884	C		W/100 AMP & COMM SHELTER TIEDOWN KIT										(DETAIL INDEX 02)
	REMARKS			3	M884	C		FUEL CAPACITY 20 GAL MOGAS										(DETAIL INDEX 02)
V 17	2320005798985		R	3	M884	9E		219 92 74	4970	863	74	167	CCCC	CCC	N	N	N	R2DA
V 19	2320005798985		R	3	M884	9		219 80 74	4970	751	74	167	CCCC	CCC	Y	Y	N	R2BA
X40009					TRK CARGO 2-1/2-TON			TM 55-2320-209-15-1			5000							
V 01	2320000771616		R	3	M35A2	B		265 106 113	13180	1837	113	450	CC		N	N	N	R1DB
V 02	2320000771616		R	3	M35A2	C		265 96 81	13180	1193	81	277	CCCC	C	N	N	N	R2DB
	REMARKS			3	M35A2	C		IDXS 02 & 04 FUEL TANK CAP 50 GAL MULTIFUEL										(DETAIL INDEX 02)
V 13	2320000771616		R	3	M35A2	D		265 96 115	13680	1693	115	450	CC		N	N	N	R1DB
	REMARKS			3	M35A2	D		WITH MACHINE GUN RING MOUNT INSTALLED										(DETAIL INDEX 13)
16	2320000771616		R	3	M35A2	G		269 96 141	17976	2108			CC		N	N	N	R1DB
21	2320000771616		R	3	M35A2	D		269 96 119	16500	1779			CC		N	N	N	R1DB
	REMARKS			3	M35A2	D		W/SKID MTD SHELTER										(DETAIL INDEX 21)
V 25	2320000771616		R	3	M35A2	G		265 96 95	14280	1399			CCCC		N	N	N	R2DB
	REMARKS			3	M35A2	G		WOOD SHELTER INST FT LEWIS, WA										(DETAIL INDEX 25)
V 28	2320000771616		R	3	M35A2	9E		265 96 113	13180	1664	113	450	CC		N	N	N	R1DB
V 29	2320000771616		R	3	M35A2	G		270 102 102	14630	1626			CCCC		N	N	N	R2DB
	REMARKS			3	M35A2	G		W/ARTIC KIT INSTALLED										(DETAIL INDEX 29)
V 31	2320000771616		R	3	M35A2	9		265 96 81	13180	1193	81	277	CCCC	C	N	N	N	R2DB
V 41	2320000771616		R	3	M35A2	R		265 96 102	17180	1502			CCCC		N	N	N	R2DB

UNCLASSIFIED